



Revision number: 3

Purchasing Agent: Debbie Gundersen

Item: VIDEO SURVEILLANCE SYSTEM

Vendor: 34841G Cohu Inc.
P O Box 85623
San Diego CA 92186-5623

Internet Homepage:

Telephone: (619) 227-6700

Fax number: (619) 277-0221

Contact: John R. Foster

Email address:

Brand/trade name: Cohu Model 1300 SERIES

Price: See Price List

Terms: Net 30

Effective dates: 11/25/96 THROUGH 11/24/02

Days required for delivery: 60 Days ARO

Price guarantee period: 1 Year

Minimum order: N/A

Min shipment without charges: N/A

Other conditions:

REVISION #3: EXTENDING THIS CONTRACT UNTIL 11/24/02

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.

**PRICE LIST**

1. CCTV CAMERA ASSEMBLY - \$ 4,974.00/EA
INCLUDING CAMERA MODEL 1322-1000/ER3048,
ZOOM LENS MODEL P105 AND
PAN/TILT UNIT MODEL ERPT570P/PP.
DELETE WASHER/WIPER ASSEMBLY AND REPLACE
THE RECTANGULAR HOUSING WITH A 4 1/2" D
SEALED PRESSURIZED HOUSING WITH SUNSHIELD.

2. CCTV CAMERA CONTROLLER ASSEMBLY \$ 2,395.00/EA
MODEL ER2221B

3. TRAINING -
48 HOURS OF TRAINING INCLUDING TEST EQUIPMENT.
(TAPING OF TRAINING SESSIONS IS ALLOWABLE,
HOWEVER, USER WILL HAVE TO PROVIDE THE
EQUIPMENT AND SOMEONE TO RUN THE TAPE
MACHINE.) \$ 56,962.00*
*1 DAY TRAINING PRICE IS NEGOTIABLE

4. ENGINEERING FIELD SERVICES - \$ 912.00 PER 8 HOUR DAY PER MAN.
OVERTIME IN EXCESS OF 8 HOURS WILL BE CHARGED AT \$170.00 PER HOUR.
HOURS IN EXCESS OF 12 HOURS WILL BE CHARGED AT \$230.00 PER HOUR.
SUSTENANCE WILL BE CHARGED AT \$150.00 PER DAY AND ROUND TRIP AIRFARE
WILL BE CHARGED AT ACTUAL COST.

5. ADDITIONAL PRICES (listed by lens model number)

LENSES FOR CAMERAS - MANUAL IRIS

AL04 2/3" - 4.8MM,F2.0	\$ 113.75
AL06 2/3" - 6.5MM,F1.8	191.75
AL07 2/3" 8MM F/1.4 KOWA	58.50
AL09 2/3" 9MM,F1.4	123.50
AL12 1" - 12.5MM,F1.4	123.50
AL15 2/3" - 16MM,F1.4	191.75
AL16 2/3" - 16MM,F1.4	123.50
AL25 1" - 25MM,F1.4	91.00
AL26 2/3" - 25MM,F1.6	191.75
AL50 1" - 50MM,F1.4	123.50
AL51 2/3" - 50MM,F2.8	201.50
AL75 1" - 75MM,F1.8	230.75
AO03 1/2" - 3.7MM,F1.6	117.00



AO06 1/2" - 6MM,F1.4	81.25
AO13 1/2" - 12MM,F1.4	61.75
AO14 1/2" - 12MM,F1.2	55.25

LENSES FOR CAMERA - AUTO IRIS

EH04 1/2" - 3.7MM,F1.6	165.75
EH06 1/2" - 6MM,F1.2	146.25
EH13 1/2" - 12MM,F1.4	133.25
EH35 2/3" - 35MM,F1.4	201.50
ESO4 1/2" - 4.2MM,F1.6	266.50
ES05 2/3" - 4.8MM,F1.8	188.50
ES07 2/3" - 8MM,F1.4	175.50
ES08 2/3" - 8MM,F1.4	217.75

LENSES FOR CAMERA - AUTO CLOSE AND ZOOM

EB12 1" - 12.5MM,F1.4	331.50
EB25 1" - 25MM,F1.4	331.50
EB50 1" - 50MM,F1.4	331.50
ES12 1" - 12.5MM,F1.4	253.50
ES16 2/3" - 16MM,F1.4	175.50

ES25 1" - 25MM,F1.4	237.25
ES50 1" - 50MM,F1.8	263.25
ES75 1" - 75MM,F1.8	347.75
PO6J 2/3" - 6:1,F1.4	666.25
PO6R 1/2" - 6:1,F1.0	770.25

P10J 2/3" - 10:1,F1.4	965.25
P10R 1/2" - 10:1,F1.2	1033.50
P10S 1/2" - 10:1,F1.2	1033.50
Z06E 2/3" - 6:1,F1.2	656.50
Z06F 2/3" - 6:1,F1.8	581.75

ZO6H 1/2" - 6:12,F1.2	838.50
ZO6J 2/3" - 6:1,F1.4	487.50
ZO6R 1/2" - 6:1,F1.0	542.75
Z10E 2/3" - 10:1,F1.4	1033.50
Z10J 2/3" - 10:1,F1.4	770.25

Z10K 1" - 10:1,F1.8	2899.00
Z10R 1/2" - 10:1,F1.2	838.50
Z10S 1/2" - 10:1,F1.2	838.50

PANS AND TILT UNITS - LIGHT DUTY INDOOR



PT270P	5 LB. LOAD CAP. 115 VAC	443.30
PT270-24P	15 LB. LOAD CAP. 24 VAC	443.30
PANS AND TILTS - INDOOR/OUTDOOR WEATHERPROOF UNITS		
PT175 - 24P	20LB LOAD CAP., 24 VAC	700.05
PT550P	40LB LOAD CAP., VAR. SPEED, 115 VDC	992.55
PT550P/PP	W/PRESET POSITION OPTION	1274.00
PT570P	40 LB LOAD CAP., 115 VAC	943.15
PT570/PP	W/PRESET POSITION OPTION	1246.05
PT570/24P	VAC OPERATION	943.15
PT570P-24P/PP	W/PRESET POSITION OPTION	1246.05
PT1250P	100 LB LOAD CAP., 115 VAC	1396.20
PT1250P/PP	W/PRESET POSITION OPTION	1704.95
PT1250DC	100 LB LOAD CAP., VAR.SPEED, 115 VDC	1607.45
PT1250DC/PP	W/PRESET POSITION OPTION	1918.15
PT1260EX	EXPLOSION-PROOF OPTION	2439.45
PT1260EX/220	VAC 50HZ OPERATION	2439.45
PT1260EX/PP	W/PRESET POSITION OPTION	2759.25

SENSOR SIZE/VIDEO FORMAT

2 - 1/2" (NTSC)	NO CHARGE
5 - 1/2" (PAL)	NO CHARGE

POWER CONFIGURATION

2 - 12VDC OPERATING POWER	NO CHARGE
7 - 12VAC OPERATING POWER	32.50

SYNC OPTIONS

1 - NTSC CRYSTAL	52.00
2 - NTSC GENLOCK	52.00
3 - NTSC PHASE ADJUST LINELOCK	78.00
5 - PAL CRYSTAL	52.00
6 - PAL GENLOCK	52.00
7 - PAL PHASE ADJUST LINELOCK	78.00

requires 12 VAC power option #7

IRIS OPTIONS

O - AUTO IRIS DRIVE	NO CHARGE
3 - NTSC ELECTRONIC IRIS	65.00
4 - DC IRIS DRIVE	32.50
5 - PAL ELECTRONIC IRIS	65.00

UNASSIGNED



00 - NONE

NO CHARGE

LENS OPTIONS

0000 - NONE NO CHARGE

AO03 1/2" - 3.7MM,F1.6 117.00

AO06 1/2" - 6MM,F1.4 81.25

AO13 1/2" - 12MM,F1.4 61.75

EH04 1/2" - 3.7MM,F1.6 165.75

EH06 1/2" - 6MM,F1.2 146.25

EH13 1/2" - 12MM,F1.4 133.25

ES04 1/2" - 4.2MM,F1.6 266.50

ACCESSORIES

8331-5 115 12 VAC POWER SUPPLY 26.00

8335-5 220 12 VAC POWER SUPPLY 45.50

8368-4 115 12 VAC DC POWER SUPPLY 32.50

8356-0 LENS CONNECTION KIT 16.25

8368-2 MOUNTING BASE(FOR TOP MNT) 19.50

6X-973 MAINTENANCE MANUAL 48.75

#6 DOME AND 3830 CAMERA

3835-1000 DSP INTERLINE TRANSFER CCD 1/4" COLOR IMAGE SENSOR 22:1
3.9MM-85.6MM MOTORIZED ZOOM LENS 8X DIGITAL ZOOM, 115VAC
OPERATING POWER AUTO/MANUAL FOCUS CONTROL, AUTO IRIS
CONTROL, INTEGRATION WITH FRAME STORE, 1/4 SECOND
DURATION, NTSC - COLOR 64 ZOOM/FOCUS PRESETS IN A 3.5"
SEALED & PRESSURIZED, ENCLOSURE & LOW PRESSURE, ALARM &
LOW TEMPERATURE HEATER. \$2560.00

SS-115 SUNSHIELD FOR 3.5 O.D. BARREL, 12" LONG - USE 15" LONG
SUNSHIELD

PT480P/PP LEGACY LIGHT DUTY PAN/TILT UNIT, -115 VAC OPERATING POWER,
20 LBS. LOAD CAPACITY, PRESET POSITIONING, LEGACY ADAPTER,
FOR 3830 CAMERA. \$1735.00

ER2222BN CAMERA CONTROL RECEIVER \$1595.00

S 115VAC OPERATING POWER

S 115VAC CAMERA POWER

S 115VAC PAN/TILT POWER

S NO FRONT PANEL SWITCHES

S D-9 FOR LOCAL CONTROL

S NO FRT PNL CONTROLS BNC OUT



S DIP SWITCH ADDRESS ON FRONT
S 3830 FIRMWARE

ER2222B CAMERA CONTROL RECEIVER REMOTE/LOCAL CONTROL VIA FRONT
PANEL SWITCHES \$2395.00

S 115VAC OPERATING POWER
S 115VAC PAN/TILT POWER
S 115VAC CAMERA POWER
S RS-232 AND RS-422 DATA COMMUNICATIONS
S 19" RACK MOUNTABLE

ER3922 DOME WITH DSP CAMERA POSITIONING SYSTEM AND CONTROL
RECEIVER \$3905.00

S 1/4" COLOR IMAGE SENSORE
S 22:1 3.9 MM-85.6 MM MOTORIZED
S ZOOM LENS 8X DIGITAL ZOOM
S AUTO/MANUAL FOCUS CONTROL
S AUTO/MANUAL IRIS CONTROL
S INTEGRATION WITH FRAME
S STORE 1/4 SECOND DURATION
S 64 ZOOM/FOCUS PRESETS ENCLOSED IN A 12" SEALED AND
PRESSURIZED DOME ENCLOSURE

PM3 POLE MOUNT ADAPTER FOR DOME \$78.00

NOTE: THEY HAVE EXTENDED A DISCOUNT OF 35% FROM RETAIL LIST PRICE OF
ALL OTHER PRODUCTS NOT SPELLED OUT ON THIS CONTRACT.

FINET COMMODITY CODES:

84084000000- VIDEO & AUDIO SURVIELLANCE SYSTEMS